





GAINS_SAMPLE_REFERENCE: 120477-228
GAINS_USER_ID: duseg
GAINS_INSTRUMENT: unityb
GAINS_EXPERIMENT_TIME: 01/30/2008 12:44:46
GAINS_END_TIME: 01/30/2008 12:45:41

Filename: 120477-228_n1.fid
unityb: 080130

Pulse Sequence: s2pu1
Solvent: cdcl3
Ambient temperature
UNITYplus-400
PULSE SEQUENCE
Pulse 45.0 degrees
Acq. time 2.430 sec
Width 8739.3 Hz
16 repetitions
OBSERVE H1, 389.8506300 MHz
DATA PROCESSING
Line broadening 0.1 Hz
FT size 32768
Total time 1 minute



Step B ^1H zoom



GAINS_SAMPLE_REFERENCE= 120477-22B

Filename: 120477-22B_h1.fid

unityb: 080130

INDEX	FREQUENCY	PPM	HEIGHT	INDEX	FREQUENCY	PPM	HEIGHT
1	2167.491	5.419	31.4	36	607.436	1.519	11.8
2	2165.001	5.413	60.8	37	603.256	1.508	6.6
3	2162.926	5.408	73.6	38	600.795	1.502	10.5
4	2160.851	5.403	27.1	39	598.720	1.497	7.0
5	1627.552	4.069	24.3	40	470.895	1.177	78.9
6	1620.496	4.052	72.0	41	463.839	1.160	151.2
7	1613.441	4.034	71.4	42	456.784	1.142	85.3
8	1609.291	4.024	2.4	43	450.974	1.128	2.4
9	1605.971	4.015	25.4	44	443.503	1.109	2.7
10	883.008	2.208	3.1				
11	879.273	2.198	2.2				
12	869.720	2.175	6.3				
13	868.068	2.170	9.1				
14	865.162	2.163	10.3				
15	862.672	2.157	11.0				
16	861.012	2.153	12.5				
17	859.767	2.150	10.3				
18	858.937	2.148	10.5				
19	856.862	2.142	10.6				
20	854.372	2.136	10.6				
21	852.287	2.131	6.9				
22	852.100	1.730	6.8				
23	849.184	1.723	10.2				
24	847.119	1.718	12.7				
25	844.629	1.712	10.8				
26	842.969	1.708	12.2				
27	840.479	1.701	13.4				
28	837.989	1.695	16.4				
29	835.499	1.689	13.4				
30	833.009	1.683	8.0				
31	821.131	1.553	8.0				
32	618.226	1.546	13.1				
33	616.151	1.541	9.2				
34	612.001	1.530	12.2				
35	609.926	1.525	22.2				

