

GAINS_SAMPLE_REFERENCE: 116349-104-1
GAINS_USER_ID: mcdermottre
GAINS_INSTRUMENT: unityb
GAINS_EXPERIMENT_TIME: 02/20/2008 11:26:40
GAINS_END_TIME: 02/20/2008 11:27:38

Filename: 116349-104-1_H1.fid
unityb: 080220


116349-104-1

Pulse Sequence: s2pu1


Solvent: cdc13
Ambient temperature
UNITYplus-400

PULSE SEQUENCE

Pulse 45.0 degrees
Acq. time 2.410 sec
Width 6799.3 Hz
16 repetitions
OBSERVE H1, 399.9506330 MHz
DATA PROCESSING
Line broadening 0.1 Hz
FT size 32768
Total time 1 minute



3181



GAINS_SAMPLE_REFERENCE= 116349-104-1

Filename: 116349-104-1_H1.fid

unityb: 080220

INDEX	FREQUENCY	PPM	HEIGHT
1	2897.509	7.245	158.5
2	2112.709	5.282	14.6
3	1491.426	3.729	105.3
4	1486.860	3.718	151.2
5	1481.880	3.705	117.4
6	1378.145	3.433	117.3
7	1368.580	3.422	149.5
8	796.684	1.992	14.8
9	646.032	1.615	7.7
10	629.847	1.575	13.4
11	604.116	1.510	4.1
12	583.365	1.459	1843.1
13	575.894	1.440	40.6
14	563.029	1.408	25.1
15	543.108	1.358	6.8
16	519.452	1.299	7.4
17	492.891	1.232	2.7
18	19.769	0.048	4.0

3181 C