

Current Data Parameters  
 NAME 32077-131  
 EXPNO 16  
 PROCNO 1

F2 - Acquisition Parameters  
 Date\_ 20100918  
 Time 12.07  
 INSTRUM spect  
 PROBHD 5 mm QNP 1H/1  
 PULPROG zg30  
 TD 32768  
 SOLVENT CDC13  
 NS 64  
 DS 2  
 SWH 6578.947 Hz  
 FIDRES 0.200774 Hz  
 AQ 2.4904180 sec  
 RG 228.1  
 DW 76.000 usec  
 DE 7.00 usec  
 TE 300.1 K  
 D1 0.10000000 sec  
 TD0 1

==== CHANNEL f1 =====  
 NUC1 1H  
 P1 11.20 usec  
 PL1 6.00 dB  
 SFO1 399.8724694 MHz

F2 - Processing parameters  
 SI 16384  
 SF 399.8700087 MHz  
 WDW no  
 SSB 0  
 LB 0.00 Hz  
 GB 0  
 PC 1.00

Peak	?(F1) [ppm]	?(F1) [Hz]	Intensity	Peak	?(F1) [ppm]	?(F1) [Hz]	Intensity
1	7.7085	3082.3980	0.15	58	3.9503	1579.6065	0.33
2	7.7039	3080.5586	0.89	59	3.9424	1576.4475	0.33
3	7.7000	3078.9991	1.33	60	3.9371	1574.3282	0.18
4	7.6961	3077.4396	0.65	61	3.9356	1573.7284	0.18
5	7.6938	3076.5199	0.94	62	3.9296	1571.3292	0.20
6	7.6899	3074.9604	1.53	63	3.9217	1568.1702	0.13
7	7.6842	3072.6811	1.47	64	3.7804	1511.6686	0.37
8	7.6800	3071.0017	1.64	65	3.7696	1507.3500	0.43
9	7.6770	3069.8021	0.48	66	3.7552	1501.5919	0.81
10	7.6741	3068.6424	1.28	67	3.7444	1497.2733	0.84
11	7.6700	3067.0030	1.31	68	3.7183	1486.8367	0.82
12	7.4790	2990.6278	0.16	69	3.7041	1481.1585	0.79
13	7.4751	2989.0683	0.36	70	3.6931	1476.7599	0.38
14	7.4712	2987.5088	0.24	71	3.6788	1471.0418	0.37
15	7.4660	2985.4295	0.22	72	2.7320	1092.4449	0.67
16	7.4566	2981.6707	1.21	73	2.7234	1089.0060	0.66
17	7.4495	2978.8316	0.39	74	2.3272	930.5775	0.15
18	7.4433	2976.3524	0.83	75	2.3241	929.3379	0.14
19	7.4392	2974.7130	1.55	76	2.3126	924.7394	0.14
20	7.4349	2972.9935	0.88	77	2.3097	923.5798	0.28
21	7.4282	2970.3144	1.56	78	2.3067	922.3801	0.23
22	7.4234	2968.3950	0.69	79	2.2922	916.5820	0.34
23	7.4107	2963.3167	1.62	80	2.2893	915.4224	0.33
24	7.4091	2962.6769	1.61	81	2.2744	909.4643	0.14
25	7.3978	2958.1584	0.22	82	2.2715	908.3047	0.23
26	7.3948	2956.9587	0.57	83	2.2685	907.1051	0.15
27	7.3920	2955.8391	0.50	84	2.2611	904.1461	0.14
28	7.3901	2955.0794	0.41	85	2.2580	902.9065	0.21
29	7.3870	2953.8398	0.33	86	2.2548	901.6269	0.14
30	7.2706	2907.2949	0.47	87	2.2443	897.4283	0.30
31	5.9171	2366.0708	0.13	88	2.2410	896.1087	0.29
32	5.8995	2359.0331	0.29	89	2.2375	894.7091	0.15
33	5.8916	2355.8741	0.15	90	2.2302	891.7901	0.15
34	5.8817	2351.9154	0.14	91	2.2270	890.5105	0.25
35	5.8742	2348.9164	0.45	92	2.2238	889.2309	0.20
36	5.8565	2341.8387	0.48	93	2.2092	883.3928	0.13
37	5.8489	2338.7997	0.16	94	2.2059	882.0733	0.13
38	5.8391	2334.8810	0.16	95	1.8195	727.5635	0.14
39	5.8313	2331.7620	0.35	96	1.8124	724.7244	0.15
40	5.8135	2324.6443	0.16	97	1.8085	723.1649	0.14
41	5.1634	2064.6888	0.20	98	1.8053	721.8853	0.18
42	5.1593	2063.0493	0.42	99	1.8017	720.4458	0.23
43	5.1546	2061.1699	0.55	100	1.7984	719.1262	0.16
44	5.1510	2059.7304	0.22	101	1.7946	717.6067	0.22
45	5.1192	2047.0145	0.59	102	1.7911	716.2072	0.15
46	5.1164	2045.8949	0.75	103	1.7875	714.7676	0.24
47	5.1132	2044.6153	0.61	104	1.7842	713.4481	0.17
48	5.1117	2044.0155	0.63	105	1.7806	712.0085	0.15
49	5.1083	2042.6560	0.27	106	1.7770	710.5690	0.14
50	5.0961	2037.7776	0.25	107	1.7700	707.7699	0.14
51	5.0934	2036.6979	0.46	108	1.5967	638.4724	0.70
52	5.0911	2035.7782	0.39	109	1.0874	434.8186	1.11
53	5.0883	2034.6586	0.37	110	1.0801	431.8996	20.00
54	3.9710	1587.8838	0.12	111	1.0727	428.9406	1.23
55	3.9631	1584.7248	0.20	112	0.9790	391.4727	4.22
56	3.9573	1582.4056	0.19	113	0.9613	384.3950	3.55
57	3.9558	1581.8058	0.18				

32077-131D  
 3 chromatographies combined  
 nmr400b h-1

