



A Publication
of Reliable Methods
for the Preparation
of Organic Compounds

Working with Hazardous Chemicals

The procedures in *Organic Syntheses* are intended for use only by persons with proper training in experimental organic chemistry. All hazardous materials should be handled using the standard procedures for work with chemicals described in references such as "Prudent Practices in the Laboratory" (The National Academies Press, Washington, D.C., 2011; the full text can be accessed free of charge at http://www.nap.edu/catalog.php?record_id=12654). All chemical waste should be disposed of in accordance with local regulations. For general guidelines for the management of chemical waste, see Chapter 8 of Prudent Practices.

In some articles in *Organic Syntheses*, chemical-specific hazards are highlighted in red "Caution Notes" within a procedure. It is important to recognize that the absence of a caution note does not imply that no significant hazards are associated with the chemicals involved in that procedure. Prior to performing a reaction, a thorough risk assessment should be carried out that includes a review of the potential hazards associated with each chemical and experimental operation on the scale that is planned for the procedure. Guidelines for carrying out a risk assessment and for analyzing the hazards associated with chemicals can be found in Chapter 4 of Prudent Practices.

The procedures described in *Organic Syntheses* are provided as published and are conducted at one's own risk. *Organic Syntheses, Inc.*, its Editors, and its Board of Directors do not warrant or guarantee the safety of individuals using these procedures and hereby disclaim any liability for any injuries or damages claimed to have resulted from or related in any way to the procedures herein.

These paragraphs were added in September 2014. The statements above do not supersede any specific hazard caution notes and safety instructions included in the procedure.

o-TOLUAMIDE

WARNING

It has been reported that a very violent explosion occurred during the preparation of o toluamide as described in this series.¹ The temperature of the reaction mixture was allowed to exceed 50°, and the rapidly evolved mixture of oxygen and alcohol vapor was ignited accidentally. It is recommended that this preparation be performed only at a safe distance from open flames, and behind a substantial safety shield. Since approximately 20 l. of oxygen may be evolved within a relatively short period, it is important to have efficient stirring and cooling (40-50°), and to provide adequate venting for the flask.

References and Notes

1. *Org. Syntheses, Coll. Vol. 2*, 586 (1943).

Copyright © 1921-2015, Organic Syntheses, Inc. All Rights Reserved
